Scale/Printer Systems

Ishida BC-3000 Price-Computing Scale with Printer







PART #	MODEL	CAPACITY
53867	. Dual Range BC-3000	. 15 lb x 0.005 lb
		30 lb x 0.01 lb

The BC-3000 provides unbeatable versatility with its advanced printing and programming capabilities. It is the perfect choice for point-of-sale applications.

The BC-3000's new dual weight range function provides finer weight and tare readings that will save you money over the long haul. Sophisticated data storage is available with 176 speed keys for fast and simple data recall. Providing maximum flexibility in formatting customer labels, its printer output can be configured to use one of seven different font sizes, including reverse printing.

For system integration and automation, the BC-3000 allows basic scale-to-scale communication. This capability enables PLU entries and price changes to be automatically transferred from the master scale to up to four other BC-3000 scales.

Applications

• Sophisticated point-of-sale weighing

Standard Features

- **Dual weight range:** 0-14.995 x 0.005 lb/15-30 x 0.01 lb
- 88 one-touch preset keys. Each key can be assigned two items using the shift key, for a total of 176 presets
- · Thermal dot printer
- Reverse font printing
- Seven different character sizes are easily programmed
- Printed data positions can be freely altered, allowing the design of unique labels
- Keyboard formats for presetting and programming can be easily switched using key sheets
- Network up to five BC-3000 scales

Options/Accessories

46916	Produce platter
46917	Fish platter

71199......Polyethylene scale shelf, white, 18.25" W x 16" D x 1" H (463mm W x 406mm D x 25.4mm H)

Consult.....Single weight range firmware

46921......Korean/English language firmware

Consult.....Chinese Hong Kong BIG-5 firmware

46923......KG version firmware

46919......Remote load cell kit (scale base)

47341......Continuous roll thermal journal paper, 64mm W x 50m L (for reports only)

44299......Additional operating manual

48775.....Service manual

80383......PenPower digital writing tablet for Chinese character entry (see page SPS-3 for details)

LABEL STOCK

47732......2.36" x 1.73" (60mm x 44mm)

47733......2.52" x 1.85" (64mm x 47mm)

47736......Pre-printed safe handling instructions on top of label, 2.52" x 2.32" (64mm x 59mm)

47745......Pre-printed safe handling instructions on top of label, 2.52" x 3.34" (64mm x 85mm)

BC-3000 Specifications

CAPACITY:

0-14.995 x 0.005 lb/15-30 x 0.01 lb (dual range)

ACCURACY:

1/3000

DISPLAY:

U/P: 6 digits Weight: 5 digits Price: 7 digits

PRINTER:

Thermal dot printer

PRINTING SPEED:

70 mm (2.36" per second)

PRESET KEYS:

88 keys (176 presets using shift key)

MEMORY CAPACITY:

128 KE

LABEL SIZE:

2.52" x 3.35" (64mm x 85mm) (variable) Printing width: Max. 2.36" (60mm)

ELECTRICAL POWER:

115 VAC, 60Hz

POWER CONSUMPTION:

Stand-by: 50W In operation: 100W

WEIGHT:

26.5 lb (12 kg)

CLASSIFICATION:


NTEP certified, CC# 95-057A3, UL listed


WARRANTY.

1-year limited warranty

DIMENSIONS

A: 9.84" (250mm)	G: 17.32" (440mm)
B: 15.75" (400mm)	H: 6.61" (168mm)
C: 2.56" (65mm)	I: 17.72" (450mm)
D: 8.86" (225mm)	J: 7.80" (198mm)
E: 9.45" (240mm)	K: 2.56" (65mm)
F: 4.53" (115mm)	L: 16.54" (420mm)





Scale/Printer Systems

BC-3000 With Chinese PenPower



(SEE BACK OF PAGE FOR ADDITIONAL INFORMATION)

Chinese handwriting is the most natural way of inputting Chinese characters into a computer. Combine your PC* with Ishida's BC-3000, ScaleLink Pro and PenPower to input Big-5 characters for label printing.

*Windows must support Chinese Big-5 characters



ScaleLink Pro (Hong Kong version)

- Sophisticated weight-based product management made simple
 Joins individual scales to in-store computer/POS servers, as well as central hosting computer networks
- Enter and maintain item data price changes and more
 Supports Big-5 (Traditional Chinese) characters

Standard Features

- Big-5 (Traditional Chinese) character support
- Economical operation
- Up to 176 presets
- Custom label formatting capabilities
- Standard RS-232 PC connection
- Integrated thermal printer
- · Connectivity with ScaleLink Pro (Hong Kong version)

Option/Accessories

- 53867...... Dual Range BC-3000
- 80383......PenPower digital writing tablet for Chinese character entry

BC-3000 With Wrap Station



(SEE BACK OF PAGE FOR ADDITIONAL INFORMATION)



ScaleLink Pro

- Sophisticated weight-based product management made simple
- Joins individual scales to in-store computer/POS servers, as well as to central hosting computer networks
- Enter and maintain item data price changes and more

Standard Features

- Two roll wrap station
- Stainless steel construction
- Adjustable temperature heat pad
- Simple, user-friendly operation
- Korean and Chinese languages available
- Up to 176 presets
- · Custom label formatting capabilities
- Standard RS-232 PC connection
- Integrated thermal printer
- Connectivity with ScaleLink Pro*

Options/Accessories

- 47670 Scalemate stationn, base unit only
- 53962......Right wing with hood
- 47672 Left wing without hood
- 53963......All-purpose shelf
- 46927...... Right-wing without hood
 - * Communication to PC only. Master/satellite scale communication unavailable with PC connection.







Actual label printed by BC-3000



- Write a Chinese character on the 5" x 4" Wacom digital tablet with USB connection
- Extensive language and symbol recognition



 ScaleLink Pro instantly recognizes characters and allows direct input or modification of characters at cursor point



Print label with weight and pricing, along with product description in two languages

BC-3000 Wrap Station

Specifications

WRAP STATION

WRAP STATION ONLY:

22" W x 23" D x 32" H (558mm W x 584mm D x 812mm H)

WRAP STATION - LEFT & RIGHT WING:

14" W x 22" D (355mm W x 558mm D)

RIGHT WING WITH HOOD:

14" W x 34" D (355mm W x 863mm D)

DIMENSIONS

L: 16.54" (420mm)

A:	9.84"	(250mm)	G:	17.32"	(440mm)
B:	15.75"	(400mm)	H:	6.61"	(168mm)
C:	2.56"	(65mm)	l:	17.72"	(450mm)
D:	8.86"	(225mm)	J:	7.80"	(198mm)
F٠	9 45"	(240mm)	K٠	2 56"	(65mm)

F: 4.53" (115mm)

