PM3300 USER MANUAL SPECIFICATION

### 2.1 Voltage (V)

**Range (Auto or Manual)** 0.5V to 2000Vpk (1400V rms)

(12 ranges 1-2-5 sequence)

Scaling Factors 0.001 to 99999

**Computation** True rms or rectified mean

Crest Factor Up to 20

Frequency Range DC and 0.1Hz to 500kHz

**Accuracy 23° ± 5°C** 45Hz - 450Hz  $\pm 0.05\%$  rdg  $\pm 0.05\%$  (0.2V - 1000Vrms) and DC range  $\pm 20$ mV

0.1Hz-500kHz  $\pm 0.1\%$  rdg  $\pm 0.05\%$ 

range  $\pm 0.02\%/kHz$ 

 $\pm 20 \text{mV}$ 

**Effect of Common** 1000Vrms 60Hz: < 20mV **Mode Voltage** 100Vrms 100kHz: < 200mV

**Maximum Input** Continuous: 2000Vpk

1 second: 5000Vpk

**Input Impedance** 1 M $\Omega$  in parallel with 10pF on all ranges

## 2.2 Current (A)

**Range (Auto or Manual)** INT: 0.05A to 200Apk (30A rms) (12 ranges 1-2-5 sequences) EXT: 6.25mV to 2.5Vpk (1.5Vrms)

**Scaling Factor** INT: 0.00001 to 99999

EXT: 0.8uA/mV to 8000A/mV

**Computation** True rms or rectified mean

Crest Factor Up to 20

**Frequency Range** DC and 0.1Hz to 500kHz

**Accuracy 23° \pm 5°C** 45 - 450Hz  $\pm 0.05\%$  rdg  $\pm 0.05\%$  range  $\pm$  1mA

**20mA to 30Arms** DC  $\pm 0.05\% \text{ rdg } \pm 0.05\% \text{ range } \pm 3\text{mA}^*$  DC (option 002)  $\pm 0.05\% \text{ rdg } \pm 0.05\% \text{ range } \pm 9\text{mA}^*$ 

 $\begin{array}{ll}
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.1\% \text{ rdg } \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{Cophon 602} & \pm 0.05\% \text{ range } \\
\text{$ 

 $\pm 0.04\%$ /kHz  $\pm 1$ mA

**Effect of Common** 1000Vrms 60Hz: < 2mA rms **Mode Voltage** 100Vrms 100kHz: < 20mA rms

**Maximum Input** Continuous: 30Arms (must be limited by external fuses or

CT's)

1 second: 1000Apk

**Input Impedance** INT:  $12.5 \text{ m}\Omega$  on all ranges

EXT:  $1M\Omega$  in parallel with 10pF on all ranges

INT (Option 002):  $3.5m\Omega$  on all ranges

EXT (Option 002):  $10k\Omega$  in parallel with 10pF on all ranges

\* Specification using auto-zero. User may also perform a manual zero to cancel offset. Refer to section 4.2.6.

SPECIFICATION PM3300 USER MANUAL

## 2.3 Power (W)

**Ranges (Auto or Manual)** 25mW to 400kWpk

(144 ranges corresponding to V & A) (with scaling to 100,000MW)

Accuracy( $23 \pm 5^{\circ}$ C, sinewave)

**45Hz to 450Hz**  $\pm 0.1\%$  rdg  $\pm 0.1\%$  range  $\pm (0.06/PF)\%$ 

 $\pm 1 \text{mW}$ 

**0.1Hz to 500kHz**  $\pm 0.2\% \text{ rdg} \pm 0.1\% \text{ range} \pm (0.06/PF)\%/\text{kHz}$ 

± 1mW

**Polarity** + = Positive powerflow

- = Negative powerflow

### 2.4 Apparent Power (VA)

**Ranges (Auto or Manual)** 25mVA to 400kVApk

(144 ranges corresponding to V & A) (with scaling to 100,000MVA)

Accuracy( $23 \pm 5$ °C, sinewave)

**45Hz to 450Hz**  $\pm 0.1\%$  rdg  $\pm 0.1\%$  range  $\pm 1$ mVA

**0.1Hz to 500kHz**  $\pm 0.2\% \text{ rdg} \pm 0.1\% \text{ range} \pm 0.06\%/\text{kHz} \pm 0.00\%$ 

1mVA

### 2.5 Reactive Power (VAr)

**Ranges (Auto or Manual)** 25mVAr to 400kVArpk **(144 ranges corresponding to V&A)** (with scaling to 100,000MVAr)

(144 ranges corresponding to V&A) Accuracy(23±5°C, sinewave)

**45Hz to 450Hz**  $\pm 0.1\% \text{ rdg} \pm 0.1\% \text{ range} \pm [0.06/(1-PF^2)^{0.5}]$ 

± 1mVAr

**0.1Hz to 500kHz**  $\pm 0.2\% \text{ rdg} \pm 0.1\% \text{ range} \pm [0.06/(1-$ 

 $PF^{2})^{0.5}$ ]%/kHz ± 1mVAr

**Polarity** + = Inductive load

- = Capacitative load

### 2.6 Power Factor (PF)

**Range**  $\pm 0.000 \text{ to } \pm 1.000$ 

**Accuracy 23**  $\pm$  **5°C**  $\pm 0.002 \pm (kHz \times 0.001/PF)$ 

**Polarity** + = Leading - = Lagging

### 2.7 Crest Factor (CF)

**Range** 1.000 to 19.999

**Basic Accuracy 23**  $\pm$  5°C  $\pm 0.005$ 

### 2.8 Inrush Current

**Range** 0.1A to 200Apk (with scaling to 20MA)

Accuracy 23  $\pm$  5°C 0.5% of selected range

**Sampling Interval** 1Ø2 wire: 3.6 µS

 $1\emptyset 3$  wire/ $3\emptyset 3$  wire:  $6.8 \mu S$   $3\emptyset 4$  wire:  $10 \mu S$ 

PM3300 USER MANUAL **SPECIFICATION** 

#### 2.9 **Impedance**

 $0.0001\Omega$  to  $9.999 M\Omega$ Range

Accuracy 23  $\pm$  5°C 45 - 450Hz:  $\pm 0.5\%$  rdg

> 0.1Hz-500kHz:  $\pm 0.5\% \pm (0.05 \div PF)\%/kHz$

#### 2.10 Frequency

Int Source 5Hz to 1MHz Range

Ext Source 0.1Hz to 1MHz

Accuracy 23  $\pm$  5°C  $\pm 0.1\%$ 

#### 2.11 **Fundamental**

0.2V - 1000Vrms Range

20mA - 30Arms

Option 002: 20mA - 30Arms

 $\pm 0.1\% \text{ rdg} \pm 0.1\% \text{ rng}$ Accuracy 23  $\pm$  5°C

 $\pm$  0.02%/kHz  $\pm$  20mV (Voltage)

 $\pm 0.1\% \text{ rdg} \pm 0.1\% \text{ rng}$ 

 $\pm 0.04\%$ /kHz  $\pm 1$ mA (Current)

Option 002:  $\pm 0.1\% \text{ rdg} \pm 0.1\% \text{ rng}$ 

 $\pm$  0.04%/kHz  $\pm$  1mA (Current)

#### Harmonic 2.12

Range DC fundamental to 99th harmonic for voltage and

current. Freq Max Harmonic = 1MHz

Accuracy 23 ± 5°C Fundamental  $\pm (0.1 \pm 0.05/\text{kHz})\%$  of Fundamental

#### 2.13 THD

0.2V - 1000Vrms Range 20mA - 30Arms

Accuracy 23  $\pm$  5°C  $\pm (0.2 \pm 0.01/\text{kHz})\%$ ; Harmonic Series

(DC Excluded)

#### 2.14 Integrator

0.001 Whr to 100,000MWhr Range

**Integration Interval** 1 Second

**Elapsed Time Display** 7 Digit, Floating Decimal Point

#### 2.15 **Bandwidth**

DC - 500kHz **Unfiltered Bandwidth** 

An anti-aliasing filter is applied at power-up. The filter response is flat to the specified cut-off frequency, and thereafter zero. It can be deselected using the BANDWIDTH key.

Filtered Bandwidth:

PM3300 STD: DC-25kHz (Specified Accuracies Achieved to 12.5kHz) PM3300 002: DC-5kHz (Specified Accuracies Achieved to 2.5kHz)

SPECIFICATION PM3300 USER MANUAL

## 2.16 Analogue Outputs

**Functions** Volts, Amps and Neutral.

No. of Outputs

**Output levels** 0 to +5V; 5mA max

### 2.17 External Frequency Source

**Input** 4 - 50Vpk to pk

0.1Hz - 1MHz


 $10k\Omega$  input impedance

Negative inputs see a reverse diode (very high)

impedance.

# 2.18 External Integrator Input (Datalog Trig)

Closed switch to pass 5mA.



## 2.19 Operating Temperature and Humidity

10 - 90% RH non condensing

0 - 50°C

### 2.20 Dielectric Strength

Input - case

**Inputs - power supply** 4kV AC 50/60Hz

**Input - input** 1 minute

**Power supply - case** 2kV AC 50/60 Hz

1 minute

### 2.21 Power Source

AC Input voltage  $100 - 220V \pm 20\%$ 

(48 -440Hz)


**Protection** Fuse 20mm 1AT **Consumption** 40W, 60VA max

PM3300 USER MANUAL SPECIFICATION

## 2.22 External Shunt Input

3rd pin not connected

3 pin DIN connector



# 2.23 Auxiliary Inputs A and B (Torque and Speed):1

**Input** 0 - 1V DC

**Input Impedance**  $20k\Omega$  in the normal operating range.

Note 1: This specification is valid only when inputs are used in PWM Motor Drive Mode

**Note:** All stated accuracies are based upon a minimum AVERAGING DEPTH setting of 8. (The default on power-up is 16).